



# INVESTOR IN PEOPLE

The Patent Office Concept House Cardiff Road Newport

South Wales

19 ARR 0 4 JUN 2004

WIPO PCT

## PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the attached copy of the request for grant of a Patent (Form 1/77) bears an amendment, effected by this office, following a request by the applicant and agreed to by the Comptroller-General.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.1.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely be structured to certain additional company law rules.

Signed 6 May 2004



Request for grant of a patent

(See the notes on the back of this form. You can also get

an explanatory leaflet from the Patent Office to help you fill in

c) any named applicant is a corporate body.

Patents ..ct 1977 (Rule 16)

THE PATENT OFFICE

15 AFR 2003

1/77

1 5 APR 2003

The Patent Office

Cardiff Road Newport

	planatory leaflet from the Patent Office to help you fill in form)	NEWPORT			Newport Gwent NP9 1RH	
1.	Your reference	DCS/P01853UK	15APR03 E800333-3 B00291 P01/7700 0.00-0308653.5			
2.	Patent application number (The Patent Office will fill in this part)	0308653.5				
3.	Full name, address and postcode of the or of each applicant (underline all surnames)		eative Grids (UK) Limited Westfield Road 16280 Co cester Bryan 3 6HU Ohio 43			
	Patents ADP number (if you know it)	8611105001		8611	121001	
	If the applicant is a corporate body, give the country/state of its incorporation	<u>,</u> UK	/	USA		
4.	Title of the invention	Improved Ink	· · · · · · · · · · · · · · · · · · ·			
5.	Name of your agent (if you have one)	Marks & Clerk				
	"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	49 Stoney Street NOTTINGHAM NG1 1LX ADP No. 000000	18015			
	Patents ADP number (if you know it)	ADP No. 00000				
i.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or each of these earlier applications and (if you know it) the or each application number	Country Priority applicat				
			•			
•	If this application is divided or otherwise derived from an earlier UK application, give the number and filing date of the earlier application	Number of earlier application		Date of filing (day / month /	year)	
		•	•			
	Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'yes' if:  a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or	Yes :	·		·	

#### Patents Form 1/77

9.	nter the number of sheets for any of the following items you are filing with this form.  Do not count copies of the same document				
	Continuation sheets of this form				
	. Description	3			
	Claim(s)	1			
	Abstract	0	٨٨		
	Drawing(s)	0	J/L		•
10.	If you are also filing any of the following, state how many against each item.				
	Priority documents				
	Translation of priority documents				•
	Statement of inventorship and right to grant of a patent (Patents Form 7/77)				
	Request for preliminary examination and search (Patents Form 9/77)	One	,		
	Request for substantive examination (Patents Form 10/77)				
	Any other documents (please specify)				
11.		I/We request the grant of a patent on the basis of this application.			
		Signature Orana C Svazz			Date 14 April 2003
12.	Name and daytime telephone number of person to contact in the United Kingdom	STAGG, Diana Christine (0116) 233 8181			

Ter an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or immunication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is cessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents of 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an plication has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no ection prohibiting publication or communication has been given, or any such direction has been revoked.

Software Contract of the Contr

Title: Improved Ink

5

20

25

The present invention relates to an improved ink, in particular to an ink which can be printed onto a surface of a substrate in order to impart non-slip characteristics to that surface. The improved ink is particularly suitable for use in printing non-slip areas onto articles such as rulers, in particular onto rulers known as quilting rulers especially clear acrylic quilting rulers, which are for use in measuring fabric for quilting and related needlework techniques. The present invention further relates to an improved printing process and to substrates which have been printed on using the improved ink and improved printing process.

Inks are known which can be used to print a pattern onto the surface of a substrate and thereby impart non-slip characteristics thereto. These inks typically comprise an ink, in particular a screen printing ink; an adhesive; a varnish, for example an acrylic varnish and a filler, in particular finely ground sand or pumice, dissolved in a solvent. When used to print a non-slip area onto a quilting ruler of the type described above, the ink is printed onto the reverse side of the ruler to produce an opaque area.

Known inks of this type have the disadvantage that, in the printing process, after the liquid ink has been applied in the desired pattern to an article, the article has to be transferred to a rack and allowed to dry in the air over a period of several hours, typically overnight. In the case of articles such as rulers, in particular quilting rulers, it is usually required that the rulers are additionally printed with one or more sets of markings in different colours using inks without fillers. Where the article is to be printed in this way, each set of coloured markings has to be allowed to dry, again over a period of several hours, which means that the manufacture of these articles takes an uneconomically long period of time. In addition, the printing process has to be carried out as a batch process rather than a continuous process, which is less desirable.

It is a further disadvantage of the known process that, because the printing compositions used in the known process are solvent based, the solvent tends to

5

10

25

evaporate from the composition before the composition is applied to the substrate, so that solvent has to be added to the composition to maintain the required viscosity. It is a further disadvantage that because the composition is solvent based, it cannot be left in the screen during breaks in work because of the risk of the ink drying in the image area and damaging the screen. It is a still further disadvantage of solvent based printing compositions that the use of solvents may cause environmental problems.

It is a further disadvantage of articles, in particular rulers, printed according to the known process that, after extensive use, the non-slip character of the printed pattern degrades and may be reduced by as much as 75% of its original level due to wear and to scratching. It is observed that while the printed marks are still visible, the filler has worn away or been scratched off.

It is an object of the present invention to provide an improved printing composition, an improved printing process and an improved printed article in which the above disadvantages are reduced or substantially obviated.

The present invention provides a printing composition which composition comprises an ink; an adhesive and a filler, characterised in that the ink is an ink which can be dried using ultra violet light and the filler is a granular filler.

In a preferred embodiment of a printing composition according to the invention, the composition further comprises a photo initiator.

Preferred granular fillers include glass beads, ground glass, pumice or ground plastics materials.

The present invention further provides a printing process which comprises the steps of applying to a substrate a printing composition which composition comprises an ink; an adhesive and a filler, characterised in that the ink is an ink which can be dried using ultra violet light and the filler is a granular filler and drying the printed substrate under ultra violet light.

5

The present invention further provides an article which has been printed by the process according to the invention.

It has surprisingly been found that articles produced according to the present invention have increased resistance to wear, the non-slip properties being maintained over extended periods of use. Where the article produced according to the invention is an article such as a quilting ruler which requires additional printing on the opposite side of the substrate to the side where the non-slip area has been printed, this additional printing is preferably carried out by a screen printing process using an ultraviolet printing ink.

In conventional printing processes using a solvent based air drying printing compositions, the drying time is typically of the order of eight hours. In contrast to this, when a printing composition according to the invention is used to print on a product, and the printed product is passed through a UV dryer, typically at a temperature not exceeding about 40° C, the product is dry within 30 seconds. The dried product can then be printed with further colours in the same way if required and can then be packaged ready for shipping.

#### **Claims**

- 1. A printing composition which composition comprises an ink; an adhesive and a filler, characterised in that the ink is an ink which can be dried using ultra violet light and the filler is a granular filler.
- 5 2. A printing composition according to claim 1 wherein the composition further comprises a photo initiator.
  - 3. A printing composition according to claim 1 or claim 2 wherein the granular filler is glass beads, ground glass, pumice or ground plastics materials.
- 4. A printing process which comprises the steps of applying to a substrate a printing composition as claimed in any of claims 1 to 3 and drying the printed substrate under ultra violet light.
  - 5. An article which has been printed by the process according to claim 4 or using a printing composition as claimed in any of claims 1 to 3.

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

<b>C</b>
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
✓ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.